


1 ROOF DEMOLITION PLAN
SCALE: 1/4" = 1'-0"




2 ROOF CONSTRUCTION PLAN
SCALE: 1/4" = 1'-0"

CONSTRUCTION PLAN KEY NOTES

REFER TO SHEETS A-003 FOR ADDITIONAL NOTES

- 1 PROVIDE INSULATED METAL STUD PARTITION FURRING ON NORTH, SOUTH & EAST ELEVATIONS ONLY. SEE DETAIL 20/A911
- 2 CONTRACTOR TO SURVEY EXISTING ROOF CONSTRUCTION, PRIOR TO ANY WORK BEING PERFORMED, AND ADVISE ARCHITECT OF CONDITIONS.
- 3 NEW EXTERIOR ALUMINUM ENTRANCE STOREFRONT SYSTEM.
- 4 PATCH EXISTING WALLS AS REQUIRED. PREPARE WALL FOR NEW PAINT FINISH.
- 5 CELLAR SIDEWALK DOORS, EXISTING TO REMAIN
- 6 NOT USED
- 7 PHASE 2: PROVIDE NEW WINDOW & FRAME. SEE A902.
- 8 NEW METAL PAN AND CONCRETE FILLED STAIR WITH NEW BRUSHED ALUM. HANDRAIL WITH MATCHING FINISH BRACKETS
- 9 NEW SLAB INFILL. SEE STRUCTURAL DRAWINGS.
- 10 1 HOUR RATED CONSTRUCTION REQUIRED AT STAIR 103 & STAIR 204; PROVIDE 1 HOUR RATED ENCLOSURE FROM FIRST FLOOR UP TO STRUCTURE; ALL NEW & EXISTING STRUCTURE SUPPORTING THE NEW STAIR MUST MEET THE 1 HOUR RATING REQUIREMENT.
- 11 1 HOUR RATED CONSTRUCTION REQUIRED AT EXIT PASSAGEWAY 101 & STAIR ENCLOSURE 102; PROVIDE 1 HOUR RATED ENCLOSURE; ALL NEW & EXISTING STRUCTURE TO WHICH THE EXIT PASSAGEWAY BEARS MUST MEET THE 1 HOUR RATING REQUIREMENT.
- 12 ALL EXISTING TO REMAIN WINDOWS TO BE REPAIRED AND CLEANED AS REQUIRED TO WORK PROPERLY. ALL GLASS TO BE CLEANED FREE OF DIRT, PAINT & FILM.
- 13 NEW CONCRETE RETAINING WALL; GC TO COORDINATE LOCATION AND EXTENT OF WALL WITH NEW METAL PAN STAIR. SEE STRUCTURAL DRAWINGS.
- 14 EXISTING +/- 4'-0" RETAINING WALL BELOW TO REMAIN
- 15 NEW SUMP PIT. SEE STRUCTURAL DRAWINGS FOR DETAILS. SEE CRYSTALLINE WATERPROOFING SPECIFICATION FOR WATERPROOFING REQUIREMENTS.
- 16 PATCH AND REPAIR TO MATCH EXISTING ROLL DOWN DOOR FRAMING WHERE STEEL PLATE WAS REMOVED AT GRADE LEVEL
- 17 PATCH AND REPAIR TO MATCH EXISTING SIDEWALK WHERE BOLLARDS WERE REMOVED
- 18 LEVEL PORTION OF EXISTING SLAB WITH CEMENT LEVELING COMPOUND WITH ENTRANCE ELEVATION. SEE SPECIFICATIONS. EXACT EXTENT TO BE DETERMINED IN THE FIELD
- 19 STARTING POINT FOR SLAB LEVELING.

CONSTRUCTION LEGEND



Project
**BROOKLYN
PHILHARMONIC
MUSIC CENTER**
299 DeGraw Street, Brooklyn, NY 11231

Prepared for
Brooklyn Philharmonic
55 Washington Street, Suite 656
Brooklyn, NY 11201

Contract No: 79.07250.09



HOK
1065 Avenue of the Americas
New York, NY 10018 USA
t +1 212 741 1200 f +1 212 633 1163

All reproduction & intellectual property rights reserved © 2012
In Association with




NYC Department of Design & Construction
30-30 Thompson Avenue, #5-076
Long Island City, NY 11101

Old Structures
Structural Engineers
111 Broadway, 14th Floor
New York, NY 10006

M-E Engineers
MEP Engineers
25 West 38th Street, 5th Floor
New York, NY 10018

Syska Hennessy Group
Lighting Consultant
11 West 42 Street
New York, NY 10036

Key Plan



Professional Seals



No.	Issue Description	MM-DD-YYYY
01	ISSUED FOR FILING	06-14-2012
02	ISSUED FOR BID	07-26-2012

No.	Revision Description	MM-DD-YYYY
-----	----------------------	------------

B-Scan

Drawn by: SL Reviewed by: SW
Project No: 79.07250.09
Date: June 1, 2011
CAPIS ID: PV467BPHL

Sheet Title

**ROOF
DEMOLITION AND
CONSTRUCTION PLANS
AND DETAILS**

Sheet Number

A-102.00

Original drawing is 42 x 30. Do not scale contents of this drawing.