

1		2		3		4		5		6	<p>NOTES</p> <p>1. THE MOUNTING HEIGHTS HEREIN INDICATED ARE COORDINATED TO PROVIDE BARRIER FREE DESIGN.</p> <p>2. SEE SPECIFIC ELEVATIONS AND OTHER SHEETS FOR THE ACTUAL REQUIREMENTS OF THIS CONTRACT.</p> <p>3. IF TWO DIFFERENT MOUNTING HEIGHTS ARE SHOWN THROUGHOUT THESE DOCUMENTS, THE CODE COMPLIANT HEIGHT SHALL TAKE PRECEDENCE.</p> <p>4. MOUNTING HEIGHTS SHOWN ARE TO THE C.L. OF CONTROLS, OPERATING MECHANISMS, DISPENSING HEIGHT.</p> <p>5. NOT ALL ITEMS SHOWN HERE ARE PART OF THIS CONTRACT. SEE OTHER SHEETS FOR CONTRACT REQUIREMENTS.</p>
<p>TOILET RAIL WALL HUNG WATER CLOSET</p> <p>17'-10" TO TOP OF TOILET BOWL</p> <p>TOILET PAPER DISPENSER</p> <p>CL</p> <p>NURSE CALL WALL CORD ACCESSIBLE TOILET</p> <p>CL</p> <p>2'-0"</p> <p>LAVATORY</p> <p>2'-0" MIN. 3'-0" MAX.</p> <p>TOILET RAIL GRAB BAR</p> <p>35" - 39" MAX.</p> <p>TOILET RAIL SOAP DISPENSER</p> <p>4'-0"</p> <p>4'-0" MAX.</p> <p>LEVER</p> <p>SANITARY NAPKIN DISPENSER</p> <p>HIGHEST OPERABLE PART</p> <p>5'-0"</p> <p>BARRIER FREE</p> <p>PAPER TUL DISP. WASTE RECEPTACLE</p> <p>HIGHEST OPERABLE PART</p> <p>5'-0"</p> <p>BARRIER FREE</p> <p>TOILET RAIL MIRROR</p> <p>4'-0" MAX. BOTTOM OF REFLECT. SURFACE</p> <p>7'-0" (6'-0") MIN.</p> <p>IF USED BY BOTH W.C. & AMBULATORY</p> <p>CLINICAL SERVICE SINK</p> <p>2'-0"</p> <p>MEDICAL GAS OUTLETS</p> <p>CL</p> <p>4'-0"</p> <p>FIRE EXTINGUISHER CABINET AT CORRIDORS</p> <p>MAX. 6" TO TOP OF FIRE EXTINGUISHER NFPA 10-6.13.8.1</p> <p>COORDINATE W/ HANDRAIL HEIGHT</p> <p>CL</p> <p>4'-0" MAX.</p> <p>NOTE 1: SEEN RECESSED COMPLETES WINDOW/IF CABINET PROJECTS LESS THAN 4"</p> <p>NOTE 2: COORDINATE WITH HANDRAIL HEIGHT WHERE APPLICABLE.</p>											

DOOR HARDWARE		COAT HOOK		SIGNAGE ADVANC 4.30		PUBLIC PHONE FORWARD APPROACH ADVANC 4.31		PUBLIC PHONE SIDE APPROACH ADVANC 4.31		WALL MOUNTED WATER COOLER		HANDRAIL/GRAB RAIL		ACCESSORIES AT WORK COUNTERS		SHARPS DISPOSAL GLOVE DISPENSER PAPER TISSUE DISP. SOAP DISPENSER	ACCESSORIES AT WALL		SHARPS DISPOSAL GLOVE DISPENSER PAPER TISSUE DISP.	JANITOR CLOSET	

	DOOR HARDWARE	STORAGE ADAMS 4.30	PUBLIC PHONE FORWARD APPROACH ADAMS 4.31	PUBLIC PHONE SIDE APPROACH ADAMS 4.31	WALL MOUNTED WATER COOLER	HANDRAIL/GRAB RAIL	ACCESSORIES AT WORK COUNTERS	ACCESSORIES AT WALL	JANITOR CLOSET

	ELECTRICAL OUTLET PHONEDIA OUTLET	LIGHT SWITCH	OUTLETS AT 30" WORK COUNTER	OUTLETS AT 30" STATION COUNTER	NURSE CALL WALL CORD ACCESSIBLE TOILET	CORRIDOR BUTTON	NURSE CALL BUTTON	MINI DISCONNECT SWITCH	AUTOMATIC DOOR OPERATOR	THERMOSTAT	30" OFF AND ON/OFF SWITCH	WALL MOUNTED PHONE	WALL MOUNTED T.V. RECEPTACLE	WALL MOUNTED CLOCK	PAPERLET RACK

	SHELF & ROD IN COAT CLOSET	ACCESSIBLE SEAT IN CHANGING ROOM	DRINKING FOUNTAIN	URINAL

DOB EMPLOYEE SIGNATURES	DOB SCAN STICKER
KEY PLAN: AREA OF WORK "202"	
REVISION: DATE: REASON FOR ISSUE:	
06-25-2012 ISSUED TO DOB	
11-02-2011 ISSUED FOR OWNER REVIEW	
PROJECT: NEW CLINIC RENOVATION AT SECOND FLOOR	
CLIENT: NEW YORK CITY HEALTH AND HOSPITALS CORPORATION	
ARCHITECT: M J C L Architects, PLLC 1416 Avenue M, Brooklyn, NY 11230 Tel: (718) 358-5390 Fax: (718) 538-5842	
PROJECT: NEW CLINIC RENOVATION AT SECOND FLOOR 234 East 149 Street Bronx, NY 10451	
DRAWING: MOUNTING HEIGHTS	
SCALE: NTS	
DRAWN BY: CAD	
CHECKED BY: VC	
DATE: 09-06-2011	
JOB #: 2115.00	
DRAWING #: A-003.00	
4 of 36	